

L Number	Hits	Search Text	DB	Time stamp
1	809	koji near2 hayashi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:40
2	775	synchron\$5 and underrun	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:07
3	183	synchron\$5 and under-run	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:41
4	919	(synchron\$5 and underrun) or (synchron\$5 and under-run)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:41
5	12	(koji near2 hayashi) and ((synchron\$5 and underrun) or (synchron\$5 and under-run))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:44
6	175260	sanyo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:44
7	21	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and sanyo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:52
8	9314	encod\$5 near10 match\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
9	25146	address near10 match\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
10	1094	(encod\$5 near10 match\$5) and (address near10 match\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:53
11	11	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and ((encod\$5 near10 match\$5) and (address near10 match\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:58
12	17	"5436875"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:58
13	25701	encod\$5 near10 error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
14	21509	address near10 error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02

15	1939	(encod\$5 near10 error) and (address near10 error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
16	27	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and ((encod\$5 near10 error) and (address near10 error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
17	14346	synchron\$5 and restart	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:07
18	187	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:07
19	143015	record\$5 and timing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:08
20	138	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:09
21	227260	address\$5 near7 (buffer or memory or memories)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:11
23	7	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and (((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)) and (address\$5 near7 (buffer or memory or memories)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:12
22	115	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)) and (address\$5 near7 (buffer or memory or memories))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:29
24	80875	369/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:30
25	6	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and 369/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:30

15	1939	(encod\$5 near10 error) and (address near10 error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
16	27	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and ((encod\$5 near10 error) and (address near10 error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
17	14346	synchron\$5 and restart	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:07
18	187	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:07
19	143015	record\$5 and timing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:08
20	138	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:09
21	227260	address\$5 near7 (buffer or memory or memories)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:11
23	7	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and (((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)) and (address\$5 near7 (buffer or memory or memories)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:12
22	115	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)) and (address\$5 near7 (buffer or memory or memories))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:29
24	80875	369/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:30
25	6	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and 369/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:54
26	37	"5214631"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:54

L Number	Hits	Search Text	DB	Time stamp
1	809	koji near2 hayashi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:43
2	188	akira near2 tsukihashi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:43
3	13	yasushi near2 hanamoto	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:44
4	993	((koji near2 hayashi) or (akira near2 tsukihashi) or (yasushi near2 hanamoto))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:45
5	23612	address near7 match\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:50
6	10	((koji near2 hayashi) or (akira near2 tsukihashi) or (yasushi near2 hanamoto)) and (address near7 match\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:49
7	1335	buffer and (underrun or under-run)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:49
8	31	((koji near2 hayashi) or (akira near2 tsukihashi) or (yasushi near2 hanamoto)) and (buffer and (underrun or under-run))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:50
9	102836	address and encod\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:50
10	15	((koji near2 hayashi) or (akira near2 tsukihashi) or (yasushi near2 hanamoto)) and (buffer and (underrun or under-run))) and (address and encod\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:54
11	175205	sanyo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:54
12	36	(buffer and (underrun or under-run)) and sanyo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:54
13	9	(address and encod\$5) and ((buffer and (underrun or under-run)) and sanyo)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:54

L Number	Hits	Search Text	DB	Time stamp
1	809	koji near2 hayashi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:40
2	775	synchron\$5 and underrun	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:07
3	183	synchron\$5 and under-run	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:41
4	919	(synchron\$5 and underrun) or (synchron\$5 and under-run)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:41
5	12	(koji near2 hayashi) and ((synchron\$5 and underrun) or (synchron\$5 and under-run))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:44
6	175260	sanyo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:44
7	21	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and sanyo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:52
8	9314	encod\$5 near10 match\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
9	25146	address near10 match\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
10	1094	(encod\$5 near10 match\$5) and (address near10 match\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:53
11	11	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and ((encod\$5 near10 match\$5) and (address near10 match\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:58
12	17	"5436875"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:58
13	25701	encod\$5 near10 error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
14	21509	address near10 error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02

15	1939	((encod\$5 near10 error) and (address near10 error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
16	27	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and ((encod\$5 near10 error) and (address near10 error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:02
17	14346	synchron\$5 and restart	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:07
18	187	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:07
19	143015	record\$5 and timing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:08
20	138	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:09
21	227260	address\$5 near7 (buffer or memory or memories)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:22
23	7	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and (((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)) and (address\$5 near7 (buffer or memory or memories)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:12
22	115	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and (record\$5 and timing)) and (address\$5 near7 (buffer or memory or memories))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:29
24	80875	369/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:30
25	6	((encod\$5 near10 error) and (address near10 error)) and (synchron\$5 and restart)) and 369/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:54
26	37	"5214631"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:08
27	17	"5930214"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:19
28	43895	(buffer or memory or ram) near15 encod\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:26

29	827	((synchron\$5 and restart) and (address\$5 near7 (buffer or memory or memories)) and ((buffer or memory or ram) near15 encod\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:22
30	48	369/\$.ccls. and ((synchron\$5 and restart) and (address\$5 near7 (buffer or memory or memories)) and ((buffer or memory or ram) near15 encod\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:22
31	13234	(address\$5 near7 (buffer or memory or memories)) and ((buffer or memory or ram) near15 encod\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:22
32	398	369/\$.ccls. and ((address\$5 near7 (buffer or memory or memories)) and ((buffer or memory or ram) near15 encod\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:22
33	210610	address\$5 near5 (buffer or memory or memories)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:22
34	341	((369/\$.ccls. and ((address\$5 near7 (buffer or memory or memories)) and ((buffer or memory or ram) near15 encod\$5))) and (address\$5 near5 (buffer or memory or memories))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:23
35	20	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and ((369/\$.ccls. and ((address\$5 near7 (buffer or memory or memories)) and ((buffer or memory or ram) near15 encod\$5))) and (address\$5 near5 (buffer or memory or memories)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:23
36	33802	(buffer or memory or ram) near7 encod\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:26
37	9950	(address\$5 near5 (buffer or memory or memories)) and ((buffer or memory or ram) near7 encod\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:27
38	305	369/\$.ccls. and ((address\$5 near5 (buffer or memory or memories)) and ((buffer or memory or ram) near7 encod\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:27
39	19	((synchron\$5 and underrun) or (synchron\$5 and under-run)) and (369/\$.ccls. and ((address\$5 near5 (buffer or memory or memories)) and ((buffer or memory or ram) near7 encod\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:38
40	0	"09748509"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:39
41	0	"09748504"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 18:39